





RECIPROCATING COMPRESSOR

L-Series




The L-series

is well suited for the WB capacity range and is able to be direct coupled to a 4 pole motor (maximum 1750 rpm with NH₃) to create a small, light weight, high speed unit. Either HFCs or NH₃ refrigerant can be used in the L-series. The compressor has been designed by our best engineers using all MAYEKAWA's know how. For instance, the unloader oil pressure piping including lubricating oil line are well built into the machine body, eliminating the need for external piping which makes the L-series compact resulting in less maintenance space and service friendly.



TYPE	WEIGHT (kg)	WIDTH	LENGHT	HEIGHT
4L	565	900	875	870
6L	675	1010	1100	885
8L	785	1070	1160	920



* Refrigerant NH_3
 $T_c = 35^\circ C$

ITEM	LIMIT VALUE	REMARKS
Maximum discharge pressure [barG]	20	
Maximum suction pressure [barG]	5.88 ¹⁾	
Minimum suction pressure [barG]	-0.733	
Maximum differential pressure [barG]	14.7	Pd-Ps
Design pressure [barG]	14.6 / 26	Low/High
Maximum compression ratio [-]	$NH_3: \leq 9$	Limited on discharge temperature
Maximum discharge temperature [$^\circ C$]	$NH_3: 140$	
Minimum suction temperature [$^\circ C$]	-60	
Maximum oil supply temperature [$^\circ C$]	50	Oil cooler outlet
Suction superheat [K]	$> 0, \leq 15$	
Minimum/maximum cooling water inlet temperature [$^\circ C$]	15 / 50	Water temperature for head covers ≤ 50
Minimum/maximum rotation speed (rpm)	970 / 1750 (1500)	() in Belt drive unit

1) Standstill is included.

WORLDWIDE

- 35 countries / 122 offices
- 8 production plants



Europe Organization

SWITZERLAND

Rosenbergstrasse 31, 6300 Zug
Tel. +41 41 726 8626
Fax +41 41 726 8620
<http://www.mayekawa.ch>
E-mail info@mayekawa.ch

SPAIN

Calle Montevideo 5, Nave 13
Pol. Industrial Camporroso
28806 Alcala de Henares, Madrid
Tel. +34 91 830 0392
Fax +34 91 830 0397
<http://www.mayekawa.es>
E-mail mayekawa@mayekawa.es

GERMANY

Munich Office

Untere Bahnhofstrasse 38a, 82110 Germering
Tel. +49 89 5527 989 0
Fax +49 89 5527 989 19

Hamburg Office

Weidestraße 122a, 22083 Hamburg
Tel. +49 40 27889149 0
Fax +49 40 27889149 9
E-mail info@mayekawa.de

FRANCE

East Branch Office

9, Rue Michael Faraday
78180 Montigny-Le-Bretonneux
Tel. +33 1 30 58 26 00
Fax +33 1 30 58 19 37

West Branch Office

6, Square des Pruniers
22400 Lamballe
Tel. +33 2 96 76 59 13
Fax +33 1 30 58 19 37
E-mail mayekawa.france@mayekawa.eu

UNITED KINGDOM

16 Oakhurst Gardens
DA7 5JP Bexleyheath, Kent
Tel. +44 1322 433558
Fax +44 1322 433164

RUSSIA

Office 228, Korovy Val St. 7
119049 Moscow
Tel. +7 499 230 01 76
Fax +7 499 230 21 12
<http://www.mayekawa.ru>
E-mail info@mayekawa.ru

BULGARIA

Kamen Andreev Str. 24, 1303 Sofia
Tel. +359 2 8910130
Fax +359 2 8910131

DUBAI

P.O.Box 61349, W-HOUSE No.RA-08-UC05
Jebel Ali Free Zone Dubai, UAE
Tel. +971-4-888-6363
Fax +971-4-888-6373

INDIA

Mayekawa India PVT. LTD.
309, Centrum Plaza, Golf Course Road
Sector-53, Gurgaon
Haryana
Tel. +91 124 4206611 16
Fax +91 124 4206618

AUSTRALIA

Unit 2,44 McCauley Street
NSW 2036 Matraville
Tel. +61 2 9695 7000
Fax +61 2 9695 7001
<http://www.mayekawa.com.au>
E-mail mycomaus@mayekawa.com.au

NEW ZEALAND

Unit 2, 30 Tui Street Otahuhu
Auckland
Tel. +68 9 276 2305
Fax +68 9 276 2306
E-mail info@mayekawa.co.nz

ITALY

Via Riccardo Lombardi 19/12
20153 Milano
Tel. +39 2 48929218
Fax +39 2 4531728

TURKEY

Dunya Ticaret Merkezi
A/2 Blok Kat:10 No:325 Yesilkoy, Istanbul
Tel. +90 212 465 36 31 34
Fax +90 212 465 36 35

JAPAN HEAD OFFICE

3-14-15 Botan Koto-ku
Tokyo 135 8482, JAPAN
Tel. 81 3 3642 8181
Fax 81 3 3643 7094
E-mail e-public@mayekawa.co.jp

MAYEKAWA Europe nv/sa

Leuvensesteenweg 605
1930 Zaventem - Belgium
Tel. +32 2 757 90 75
Fax +32 2 757 90 23
<http://www.mayekawa.eu>
E-mail info@mayekawa.eu